		INDIAN INSTITUTE OF TECHNOLOGY TIRUPATI												
	LABOR	RATORY FURNITU	JRE TENDER-I			(Tend	er Ref. No. II	TT/EU/2023-24/07	Dated 26/06/2023)					
			TECHNIC	CAL CUM TEC	HNO-COMMERC									
Technical Compliance Statement for the Chemistry laboratory furniture	M/s. Tons Bio Medical PVT. TLD	M/s. Spark International	M/s. Steel case	M/s. Orientallabs retail services Private limited	M/s. Citizen Industries	M/s. Kantva Sheetal Modularie	M/s. Rudar enterprises	M/s. Art Lab Equipments	M/s. P. OBUL REDDY & SONS					
	1	2	3	4	5	6	7	8	9					
Technical Specifications: Schedule of requirement	Complied/Not complied with remarks	Complied/Not complied with remarks	Complied/Not complied with remarks	Complied/Not complied with remarks	Complied/Not complied with remarks	Complied/Not complied with remarks	Complied/Not complied with remarks	Complied/Not complied with remarks	Complied/Not complied with remarks					
rechnical Specifications; Schedule of Fequirement	1408													
NOTE: All the tables should be assembled as per the	W-1													
site requirements during installation.														
1. Granite top wall/side table with under bench fixed storage cabinets and power sockets: TYPE – A (59 nos)	Complied		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, complied.					
Dimensions:	Complied						THE STREET							
Length: 1520 mm ± 20 mm	Complied						THE PARTY NAMED IN							
Width: 920 mm ± 20 mm	Complied													
Height: 900 mm ± 20 mm  2. Granite top wall/side table with under bench fixed storage cabinets and power sockets TYPE – B (27 nos):	Complied Complied		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	Yes, Complied.					
Dimensions:														
Length: 1520 mm ± 20 mm Width: 760 mm ± 20 mm														
Height: 900 mm ± 20 mm														
3. Granite top wall/side table with under bench fixed storage cabinets and power sockets TYPE – C (14 nos):			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.					
Dimensions:	E-SCHOOL STATE					A REPORT OF		,						
Length: 1200 mm ± 20 mm Width: 920 mm ± 20 mm				-										
Height: 900 mm ± 20 mm	Market State					-								
4. Granite top wall/side table with under bench fixed storage cabinets and power sockets TYPE – D (03 nos):			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.					
Dimensions: Length: 1500 mm ± 20 mm				-										
Width: 1050 mm ± 20 mm														
Height: 900 mm ± 20 mm														
5. Granite top wall/side table with under bench fixed storage cabinets and power sockets TYPE – E (02 nos):			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.					
Dimensions:						RELEASE (DEED)								
Length: 1100 mm ± 20 mm Width: 1050 mm ± 20 mm							CONTRACTOR OF THE PARTY OF THE							
Height: 900 mm ± 20 mm	Ten Book of the last													
6. Granite top work bench with power sockets, Under storage cabinets and Leg space TYPE – A (87 nos):			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.					
Dimensions: Length: 1800 mm ± 20 mm														
Longal, 1000 mm ± 20 mm														

		,								
		3	4	(6)	(6)	(7)	(8)	(9)		
Width: 900 mm ± 20 mm						RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IN COLUMN TO ADDRESS OF THE PERSON NAMED IN COLUMN TO ADDRESS OF				
Height: 900 mm ± 20 mm		VFC C1:-1	YES, Complied.	VEC C 1: 1		Not Provided	VEC Committee	VITC C. I' I		
<ol> <li>Granite top work bench with power sockets, Under storage cabinets and Leg space TYPE – B (3 nos);</li> </ol>	33	YES, Complied.	YES, Compiled.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.		
Dimensions:				N						
Length: 1500 mm ± 20 mm Width: 900 mm ± 20 mm										
Height: 900 mm ± 20 mm	FETTE T									
8. Granite top work bench without storage cabinet: TYPE – A (04 nos)		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.		
Dimensions:										
Length: 1500 mm ± 20 mm										
Width: 900 mm ± 20 mm Height: 900 mm ± 20 mm										
9. Granite top work bench without storage cabinet:		YES, Complied.	YES, Complied.	YES, Complied.	Not Provided	Not Provided	YES, Complied.	YES, Complied.		
TYPE - B (02 nos) Dimensions:			1							
Length: 1500 mm ± 20 mm						Here reserve				
Width: 1220 mm ± 20 mm										
Height: 650 mm ± 20 mm	6.	VEC C1'-1	VEC Committed	VEC Complicati		Net De 11 1	VEC Committed	VEC Complete		
10. Granite top work bench without storage cabine TYPE - C (25 nos):	C:	YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.		
Dimensions: Length: 1500 mm ± 20 mm										
Width: 750 mm ± 20 mm										
Height: 750 mm ± 20 mm										
11. Movable under bench cabinet: (05 nos)		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.		
Dimensions: Length: 600 mm ± 20 mm										
Depth: 530 mm ± 20 mm	A SHALL STREET				THE RESERVE TO					
Height: 650 mm ± 20 mm										
12. Reagent shelves on the work bench TYPE – A (08 nos):		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.		
Dimensions:										
Length: 1200 mm ± 20 mm Depth: 250 mm ± 20 mm										
Height: 600 mm ± 20 mm										
13. Reagent shelves on the work bench TYPE – B (18 nos):		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.		
Dimensions:										
Length: 1500 mm ± 20 mm Depth: 250 mm ± 20 mm										
Height: 600 mm ± 20 mm										
14. Reagent shelves on the work bench TYPE – C (50 nos):		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.		
Dimensions:										
Length: 900 mm ± 20 mm			-							
Depth: 250 mm ± 20 mm Height: 600 mm ± 20 mm			<del> </del>							
15. Acid/Alkali storage cabinet (02 Nos):		YES, Complied.	YES, Complied.	YES, Complied.		Session of the sessio	YES, Complied.	YES, Complied.		
Dimensions:						TRACTOR LABOR				
Length: 900 mm ± 20 mm										
Width: 600 mm ± 20 mm Height: 1970 mm ± 20 mm										
16. Solvent Storage Cabinet (Flammable storage cabinet) (08 Nos):		YES, Complied.	YES, Complied.	YES, Complied.			YES, Complied.	YES, Complied. Submitted the EN certification required for the 90 minutes, Fire resistant Flammable		
Dimensions:			d d					solvent storage cabinet.		
Length: 900 mm ± 20 mm						Lagranasan				

			A		E		(F)	(2)	6
				(4)	(5)	(6)		(8)	(9)
Width: 600 mm ± 20 mm									to the me to be
Height: 1970 mm ± 20 mm							RELIGIES IN LANGE		
· Should resist the fire for 90 minutes.									4(1551/4).528
· Each solvent storage cabinet should have 90 gallons									
storage capacity. There should be 2 or more									6 127
shelves/trays.									
i. FM approved 90minutes Fire rating approved as			Mentioned the EN certified	Did not mentioned the	Mentioned the EN certified			Provided the FM 6050 only.	Submitted EN 14470-1 & 14470-2
per (EN 14470-1, FM 6050, EN 14727 & UL1257)			make for he solvent storage	EN certified make. Need	make for he solvent storage			Attached the guidelines for	certification as requested it the email
Solvent storage cabinets shall be UL labelled and			cabinet & Gas cylinder	to evaluate in the second				EN 14470-1 & EN 14727	dated 02-09-2023.
specifically designed for the storage of flammable			cabinet. Hence Complied.		cabinet. Hence Complied.			through mail. Mentioned the	3 2023.
and combustible liquids.			odomou irenee compilea.	Junge.	cuomet. Hence compileu.			EN certified make for he	
and como action inquition								solvent storage cabinet & Gas	
								cylinder cabinet. Hence	
17. Full Height Storage Cabinet: (77 nos)			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.
Dimensions:			1 LS, Complied.	1 L3, Complied.	1 LS, Complied.		Not Flovided	1 ES, Complied.	TES, Compiled.
Length: 600 mm ± 20 mm									
Width: 900 mm ± 20 mm									
Height: 2000 mm ± 20 mm			VEC C	VEC C1'-1	VEC Complicat		No.4 Dec. 1.1	VEC C1'-1	VEC Complicat
18. Double Door Wall Mounted Storage Cabinets	THE RESERVE		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.
(278 nos):									
Dimensions:									
Length: 750 mm ± 10 mm									
Width: 400 mm ± 10 mm									
Height: 750 mm ± 10 mm									
19. Gas Cylinder Cabinet: (31 nos)			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.
Dimensions:		The Carlotte Control of the Control							
Length: 1200-1400 mm ± 10 mm									
Width: 500 mm ± 10 mm									
Height: 2000 mm ± 10 mm							Effective State		
· The gas cylinder storage cabinet must be 90-minute			YES, Complied.	Provided different	Certification was			YES, Complied	YES, Complied. Submitted the EN
fire resistant and GS Certified. Certified to EN				certificate (NOT EN	submitted on remainder				certification required for the 90
14470-2 (G30 to G90) standard.				14470 certification)	email. But the certification				minutes fire resistant gas cylinder
					is showing for G60				cabinets.
					(60minutes fire resistant)				
					where as we require 90 min				
					fire resistant gas cylinder				
					cabinets with gas leak				
					sensors.				
22. Granite Top workbench with sink and peg board			YES, Complied.	YES, Complied.	YES, Complied.	NOT Provided.	Not Provided.	YES, Complied.	YES, Complied.
TYPE - A (08 nos):				1					
Dimensions: (Table) Length: 1500 mm ± 20 mm							CONTRACTOR IN		
Width: 900 mm ± 20 mm Height: 900 mm ± 10 mm									
With you min = 20 min 110 min you min = 10 min									
Dimensions: (Sink) Length: 560 mm ± 20 mm									
Width: 360 mm ± 20 mm									
Height: 300 mm ± 10 mm									
		PARTY AND DESCRIPTION OF THE PARTY AND DESCRI							
23. Granite Top workbench with sink and peg board				YES, Complied.			Not Provided	YES, Complied.	YES, Complied.
TYPE – B (12 Nos)				125, compile			THOU THO VILLOU	125, compiled.	125, compiled.
Dimensions: (Table) Length: 1500 mm ± 20 mm									
Width: 760 mm ± 20 mm Height: 900 mm ± 10 mm									
width. 700 mm ± 20 mm Height. 700 mm ± 10 mm									
Dimensions: (Sink) Length: 600 mm ± 20 mm		BORNING CHICAGO CONTRACTOR				SECTION AND DESIGNATION OF	The state of the s		
Width: 360 mm ± 20 mm									
Height: 300 mm ± 10 mm									
				YES, Complied.			Not Provided	YES, Complied.	VES Complied
24. Granite Top workbench with sink and peg board				1 Lo, Complica.			Not Flovided	1 ES, Complied.	YES, Complied.
TYPE - C (02 nos)									
Dimensions: (Table)									
Length: 1200 mm ± 20 mm								-	
Width: 900 mm ± 20 mm							The St. of		

									٠٤
		7	1	7.1					
4 ( -	, s	17						× 1	
Height: 900 mm ± 10 mm									
ricignt. 700 mm ± 10 mm	Contract of the								
Dimensions: (Sink) Length: 560 mm ± 20 mm									
Width: 360 mm ± 20 mm							THE PERSONS		
Height: 300 mm ± 10 mm		Marie Carlo Control of the Control o							
25. Granite Top workbench with sink and peg board			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.
TYPE - D (01 nos) Dimensions: (Table)									
Length: 750 mm ± 20 mm									
Width: 900 mm ± 20 mm	The second second								
Height: 900 mm ± 10 mm					Ŷ				
Dimensions: (Sink) Length: 560 mm ± 20 mm									
Width: 360 mm ± 20 mm									
Height: 300 mm ± 10 mm			MEC 0 1: 1	VEC Complicat	VEC C 1: 1		Nist Described	VEC Complicat	ALC CONTRACTOR
26. Double Sink with granite top and peg board (01	Part & Part State		YES, Complied.	YES, Complied.	YES, Complied.	CONTRACT OF	Not Provided	YES, Complied.	YES, Complied.
Dimensions:									
Length: 1500 mm ± 20 mm		Water Challes and the				PRODUCTION OF THE PERSON OF TH	Design Street		
Width: 900 mm ± 20 mm	THE R. P.					THE PARTY OF THE PARTY OF	Direct Copplets		
Height: 900 mm ± 20 mm									
	Maria Residence						CARGO BLO		
27. Single Sink with peg board (41 nos)			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.
									4
Dimensions									
Dimensions: Length: 900 mm ± 20 mm					<del> </del>				
Width: 760 mm ± 20 mm									
Height: 900 mm ± 20 mm							SALES FOR		
Sink Dimensions: 560 mm x 355 mm x 245 mm									
28. Laboratory stools (182 nos):			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	Seat size diameter = 40 cm; 15.7
<b>是一种企业工程,</b>									inch (we have asked for 16 inch).
LEUN STREET, MAN CO							ALCOHOLD SELECT		Deviation is accepted by the subcommittee-1
<b>要是经过的企业</b>							The state of		subcommittee-1
20 4 2 17) 2 Table To 4 (10)			VEC Complied	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	Daviation is shoomed from the
29. Anti-Vibration Tables Type - A (18 nos)			YES, Complied.	YES, Complied.	1 ES, Complied.		Not Provided	1 ES, Complied.	Deviation is observed from the tender specifications:
Dimensions:									Dimensions:- 600x600x900 mm
Length: 1200 mm ± 20 mm									Balance Tables, two numbers are
Width: 900 mm ± 20 mm									offered instead of 1200x900x900
Height: 900 mm ± 20 mm	The same of the sa					The state of the s			mm. Deviation is accepted by the
	APPENDED								subcommittee-1
30. Anti-Vibration Tables Type - B (04 nos):			YES, Complied.	YES, Complied.	YES, Complied.	ALCOHOLD TO THE	Not Provided	YES, Complied.	Deviation is observed from the
					-				tender specifications:
Dimensions:				-	-				Dimensions:- 600x600x900 mm
Length: 1500 mm ± 20 mm				-	-	*			Balance Tables, two numbers are
Width: 900 mm ± 20 mm Height: 900 mm ± 20 mm						THE RESERVE OF THE PERSON NAMED IN			offered instead of 1500x900x900 mm. Deviation is accepted by the
Theight, 700 min + 20 min	SELECT PROPERTY.					THE PARTY			subcommittee-1
21 7 11 6 6 7 12 1 (601) 7 1 (601)			VEC Complicat	VEC Committed	VEC Complied		Not Devid 1	VEC C1:- 1	
31. Trolly for Gas cylinders(50L) Type – A (06 nos)			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.
32. Trolly for Gas cylinders(50L) Type – B (02 nos)			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES Complied.
22, Fronty for Gas cymiders (Son) Type - b (62 1103)			1 23, Compiled.	1 Lo, compiled.	Lo, compiled.	Personal Property	Tot Hovided	1 Lo, Compiled.	120 compiled.
Two Cylinder Trolly									
33. Safety shower with Eye wash (15 nos)	THE PERSON	Banese Banes	YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	YES, Complied.
34. Shoe Rack (16 nos)	THE STATE OF THE PARTY.		YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	Deviation sheet attached. Deviation
									in the dimensions as given below.
D:									Length: 120 cm (1200 mm)
Dimensions:					N.		R. 1. 2 - 1 (12.5 - 12.		Width: 39.5 cm (3950 mm)
		A STATE OF THE STA							Height: 46 7 cm (467 mm)

6									
					4.5				
Length: 1200 mm ± 20 mm							CONLL I		Height is only half of the tend
Vidth: 450 mm ± 20 mm		ZETRIBETE	-						requirement (900 mm). Deviat accepted by the subcommittee
leight: 900 mm ± 20 mm									
5. Student storage cabinet (14 nos)			YES, Complied.	YES, Complied.	YES, Complied.		Not Provided	YES, Complied.	Deviation is accepted by the subcommittee-1
Overall size of the pigeon hole metallic rack should be not less than 1850 mm (H) x 450 mm (D) x 380 mm (W) containing 4 racks of 450 mm height.					s -				Deviation in the product size: (W) x 470 (D) x 1950 (H) Heig including Leveler, Height of the Leveler is 50 mm and adjustm possible is 15 mm.
Spares and service availability: Minimum 5 Years should be provided.	Yes	Yes	Yes	Yes	Yes	Not provided	Not provided	Yes	Yes
Warranty: Minimum of 3 Years Warranty for the equipment	Yes	Onsite warranty- 3 years	Yes	3 years	Yes	Yes	Not provided	Yes	Yes
The Bidder should have submit below mentioned certificates  1. SEFA 8 for office and Instituttional furnishing.	No SEFA certificate and Test Reports are provided with the tender document.	No SEFA certificate and Test Reports are provided with the tender document.	SEFA 8M is provided with all the required test reports.	10-2013 certification is submitted. Needs supporting test reports. BIFMA Level 1; BIFMA HCF 8.1; Green guard compliance After receiving Clarifications: SEFA 8-M 2016 certificate attached with test reports. The Test reports are: MAT IDENT FE SPECTRO, Microstructure, Epoxy Polyster(Hybrid), surface pretreatment,	reports.	OHSAS 18001:2007, ISO 14001:2015, BIFMA Level 1, EN 13150:2020, EN 14727:2005, ISO 45001:2018, ISO 50001:2018, GMP Only provided. SEFA & EN 14470- 2 not provided. Needs to provide SEFA certificate and supporting test reports	Quality management system provided. SEFA certificate with test reports and Other certificates not provided	9001:2015,ISO 14001:2015, ISO 45001:2018 provided	SEFA 8 M with all the test re is submitted.
Technical Compliance Statement:	Technical compliance ANNEXURE VII submitted and YES for all our specifications. Needs mention of exact range of parameters.	Technical compliance ANNEXURE VII submitted and YES for all our specifications but didn't submit detailed compliance statement with our specifications. Make & Model- ARI . Needs mention of exact range of parameters. Item wise he mentioned YES not as per each specification	YES	Technical compliance statement is submitted with YES for all Items(33). Seems same as our specifications (Needs mention of exact range of parameters.) and added Isometric view image with dimensions for each item	Needs mention of exact range of parameters.  No response fromt the bidder for the queries raised by the subcommittee reagrding the certifications required for the solvent storage cabients and gas cylinder cabinets as per the corrigendum-IV (email reference dated 03-09-2023).	Needs mention of exact range of parameters.	Needs mention of exact range of parameters.	YES, Complied.	Deviation is accepted by the subcommittee-1. Hence Comp
The bidder should be OEM or OEM authorized Dealers Channel partners / Distributors of reputed brand naving authorization for sales and after sales support. Valid OEM authorization letter is required to participate in this tender.	Needs declaration of OEM status.	OEM certificate attached	OEM	OEM declaration attached	Self declared as OEM	Self declared as OEM (Local content 80 %)	Needs mention of OEM status	OEM status self declared (Local content 95 %)	Authorised dealer for M/s. GO (OEM)

									**	
		2	3	4	(3)	6	Đ	8	9	· , 0
The Bidder should submit list of clientele to whom identical or similar furniture have supplied during past five financial years i.e. during 2018-19 to 2022-23 with their contact details along with documentary evidence such as Purchase Orders executed along with technical specifications, completion certificates from the client, etc. are to be submitted as per the Annexure-IV. (On-going works will not be considered for the Technical evaluation)	NOT Qualified as per Techno- Commercial Evaluation.	NOT Qualified as per Techno-Commercial Evaluation.	YES, COMPLIED	YES, COMPLIED	YES, COMPLIED	NOT Qualified as per Techno- Commercial Evaluation.	NOT Qualified as per Techno- Commercial Evaluation.	YES, COMPLIED	YES, COMPLIED	
At least in any one of the calendar years (2018-2022), the number of items supplied should be more than items mentioned in tender enquiry (Pl. submit the proof of supply of identical or similar furniture).										
Complying with Delivery period: 160 days or earlier (Yes / No)	regarding the delivery period.	Delivery: within 12 weeks (84 days) from the date of sample approved by the committee at the factory		weeks (84 days) from the date of sample approved by the committee at the factory		Yes	Needs delivery period	Yes	Yes	
Technical Recommendations (Qualified / Not Qualified)	NOT Qualified as per Techno-Commercial Evaluation.	NOT Qualified as per Techno-Commercial Evaluation.			M/s. CITIZEN Industries have repsonded to the email queries sent for the Technical compliance as per the Corrigendum-IV and did not submitted the EN 14470-1 & 14470-2 certifiations mandatory for the Flammable solvent storage cabinets and Fire resistant gas cylinder cabinets with gas leak sensors on 09-09-2023. Complied. Technically Qualified.	NOT Qualified as per Techno-Commercial Evaluation.	NOT Qualified as per Techno-Commercial Evaluation.	Technically QUALIFIED.	Technically QUALIFIED.	
If not qualified, please specify the detailed reasons for disqualification	NOT Qualified as per Techno- Commercial Evaluation.	NOT Qualified as per Techno-Commercial Evaluation.				NOT Qualified as per Techno- Commercial Evaluation.	NOT Qualified as per Techno- Commercial Evaluation.	-		
I certified that the qualification criteria and technical specifications were not unduly restrictive.						*		1		
Name & Signature of the Indentor & committee members						1		A		

Name of the document	Check list											
		Technical Cum Te	echno Commercial States	nent								
			Technical Cum Tec	hno Commercial Stateme	nt		Vice Colorage and Color					
	Supj	oly of Chemistry Lab Furniture (Cl	PPP Tender No: IITT/EU	/2023-24/07 dt: 26.06.2023)		HARRISE STATE						
Name of the document	Tons Bio Medical Pvt Ltd, Prayagraj, UP	Spark International, New Delhi	Steel Case, Mumbai	Orientallabs Retail Services Pvt Ltd, Kolkata	Citizen Industries, Ahmadabad	Kantva Sheetal Modulaire Pvt Ltd, Aurangabad	Rudar Enterprises, Ambala	Art Lab Equipments, Hyderabad	P Obul Reddy & Sons, Tirupati			
	1	2	3	4	5	6	7	. 8	9			
1 Purchase Preference: (if applicable) Micro and Small Enterprises (MSEs)/ Make in India:	MSME & MII	MSME & MII	MSME & MII	MSME & MII	MSME & MII	MSME & MII	MSME	MSME & MII	MSME & MII			
2 The Annual Turnover should be at least Rs. 2 Crore and be profitable during each of the previous three financial years i.e. during 2018- 19 to 2020-21 or 2019-20 to 2021-22. Audited financial Statements or Financial Statements showing turnover duly signed by a Chartered Accountant are to be submitted as per the Annexure-V.	Not meeting annual Turnover	Not meeting annual Turnover	YES	YES	YES	Not meeting annual Turnover	Not meeting annual Turnover	6	YES			
The bidder should be a Class-I/Class-II Local Supplier meeting minimum 20% local content clause in line with the Public Procurement (Preference to Make in India) Order 2017 No. P-45021/2/2017-PP (BE-II) dated 04 Jun 2020. A Self-Declaration Certificate regarding "Class-I & Class-II Supplier" is to be submitted.	70%	100%	92%	90%	80%	80%	Not submitted	95%	80%			
Any bidder from a country which shares a land border with India will be eligible to bid in this Bid only if the bidder registered with the competent authority. The concerned bidder(s) are required to attach the relevant valid Registration Certificate along with the bid for consideration.	NA	NA	NA	NA	NA	NA	. NA	NA	NA			
5 Bid security declaration	YES	YES	YES	YES	YES	YES	Not submitted	YES	YES			
6 Payment Term: Within 30 days after SITC	YES	YES	YES	YES	YES	YES	Not submitted	YES	YES			
Technical Recommendations [As per Annexure-1]	NA	NA	Qualified	Qualified	Qualified	NA.	NA	Qualified	Qualified			
Techno Commercial Recommendations	Not Qualified	Not Qualified	Qualified	Qualified	Qualified	Not Qualified	Not Qualified	Qualified	Qualified			
Disqualification Remarks	Not meeting Annual Turnover criteria	Not meeting Annual Turnover criteria				Not meeting Annual Turnover criteria	Not meeting Annual Turnover criteria					